Form PTO-1390 (Rev. 5-93) US DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

RECEMPCT/PTO 28 OCT 1997

U.S. APPLATORNO/19114-5557 4

INTERNATIONAL APPLICATION NO. PCT/EP96/01755

INTERNATIONAL FILING DATE April 26, 1995

PRIORITY DATE CLAIMED

April 28, 1995 March 12, 1996

TITLE OF INVENTION DETERGENTS COMPRISING CELLULASES

CONCERNING A FILING UNDER 35 U.S.C. 371

APPLICANT (S) FOR DO/EO/US	1				
APPLICANT (6) FOR DO/EO/US Hermanus Bernardus	Maria Lenting,	Rudolf Franciscus	Wilhelmus (Cornelis Van Be	ckhoven,
Karl-Heinz Maurer Re					

Karl-Heinz Maurer,	Beatrix Kottwitz, Albrecht Weiss and Pieter Van Solingen	Ī
		_

Applicant herewith submits to the United States Designated/Elected Office (EO/DO/US) the follo	wing items and other information:
--	-----------------------------------

- This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
- This a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39 (1).
- A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date
 - A copy of the International Application as filed (35 U.S. C. 371(c)(2)). is transmitted herewith (required only if not transmitted by the International Bureau). a. 🗆
 - has been transmitted by the International Bureau is not required, as the application was filed in the United States Receiving Office (RO/US).
- □ A translation of the International Application into English (35 U.S.C. 371(c)(2))
 - Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) a. 🗆 are transmitted herewith (required only if not transmitted by the International Bureau).
 - h have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired.
 - have not been made and will not be made.
- 8.

 A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- 9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). (Unexecuted)
- 10. 🗆 A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).
- Items 11. to 16. below concern other document(s) or information included:
- 11.

 An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12.
 An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- 13. A FIRST preliminary amendment
- □ A SECOND or SUBSEQUENT preliminary amendment
- 14.

 A substitute specification

5

- 15.

 A change of power of attorney and/or address letter. 16. □ Other items or information.:

"Express Mail" mailing label number___TB81136340XUS

Date of Deposit October 28, 1997

U.S. Application No. (If known see CFR1.30) INTERNATIONAL APPLICATION NO. PCT/EP96/01755			ATTORNEY'S DOCKET NUMBER H 1920 PCT/US			
Basic Nation: Search Report has International prelim No international pre	fees are submitted: al Fee (37 CFR 1.45 been prepared by the submitted of	he ÉPÓ or JPO ee paid to USPTO	(37CFR 1.482) 	0.00	CALCULATIONS	PTO USE
international search	al preliminary exami n fee (37 CFR 1.44 ninary examination fe fied provisions of PC	5(a)(2)) paid to US ee paid to USPTO	PTO \$1070 (37CFR 1.482)			
ENTER APP	ROPRIATE BASIC	FEE AMOUNT	=		\$ 930	00
Surcharge of \$130.00 for furnismonths from the earliest claime			30		\$ 0	00
	Number filed	Number Extra	Rate			
Total Claims	1 - 20 =	0	0 X \$22.00		\$ 0	00
Independent Claims	1 - 3 =	0	0 X \$82.00		\$ 0	00
Multiple dependent claims (s)(it	applicable)	0	+ \$270.00		\$ 0	00
TOTAL O	F ABOVE CALCU	ILATIONS	=		\$ 930	00
Reduction by ½ for filing by sm 1.9, 1.27, 1.28).			ment must also be filed. (Note	37 CFR	\$ 0	00
200 400		SUBTOTAL	=		\$ 930	00
Processing fee of \$130.00 for for months from the earliest claime			⊐ 30 +		\$ 0	00
1	то	TAL NATIONAL	FEE =		\$ 930	00
Fee for recording the enclosed cover sheet (37 CFR 3.28, 3.31	assignment (37 CFR 1.2			propriate	\$ 0	00
	то	TAL FEES ENCL	OSED =		\$ 930	00
					Amount to be: refunded	\$
					charged	\$930.00
a. A check in the amount of b. Please charge my Depo- b. Please charge my Depo- drage my Depo- drage of this six of the charge my Depo- drage my Deposit A NOTE: Where an appropriate and granted to restore the ap SEND ALL CORRESPONDEN	it Account No. 01-1250 it is enclosed. Order in oner is hereby authorized account No. 01-1250 t time limit under 37 CF plication to pending st CE TO. Henkel Corp. 140 German	lo. <u>97-1230</u> . to charge any additiona A triplicate copy of the R 1.494 or 1.495 has natus.	0.00 to cover the above fees. If ees which may be required, or is sheet is enclosed, of been met, a petition to rev. Glenn E. J. M. NAME ATTO! 3.539	urphy RNEY FOI	R APPLICANT	-
Form PTO 1390 (PE) (5.93)			REGISTRATIO	UN NUMB	ŁK	

.

08/945574

PATENT Docket No. H 1920 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of Lenting et al.

Serial No. 08/945.574 Examiner: Unknown Filed: October 28, 1997 Art Unit: Unknown

PCT/EP96/01755

International Filing Date: 26 April 1996

Priority Date Claimed: 28 April 1995 and 12 March 1996

TITLE. DETERGENTS COMPRISING CELLULASES

TRANSMITTAL OF DECLARATION UNDER 37 CFR SECTION 1.494/5(c)

Assistant Commissioner of Patents

Box PCT

Washington, D.C. 20231

Sir:

COSTELLIANT CURT

No original declaration or oath was filed earlier herein. Accordingly, enclosed is the original declaration or oath for this application.

Please charge our Deposit Account No. 01-1250 in the amount of \$130.00 as prescribed by 37 CFR 1.492(e) for the surcharge and processing fee for filing a declaration on a date later than 20/30 months after the priority date of the application. This page is being submitted in triplicate along with an executed declaration. Order No. 98-0237. Authorization is also granted to charge any deficiency to Deposit Account 01-1250.

0000096 BRE:011250 08945574

Henkel Corporation Law Department 140 Germantown Pike, St. 150 Plymouth Meeting, PA 19462 GEM/mc G \DATA\H1920TD.WPD

Respectfully submitted.

Attn: DO/FO/US

Glenn E. J. Murphy (Reg. No. 33,539)

Attorney for Applicants (610) 832-2228

08/945574 41 Rec'd PCT/PTO 28 OCT 1997

PATENT Docket No. H 1920 PCT/US

"Express	Mail" ma	ailing label	numbe	r TB81136340XUS
Date of			er 28,	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE: PCT/EP96/01755

International Filing Date: 26 April 1996 28 April 1995;

Priority Date Claimed:

12 March 1996

Applicant: Title:

Lenting et al. DETERGENTS COMPRISING

Applicants' Reference:

CELLULASES H 1920 PCT/US

PRELIMINARY AMENDMENT

Assistant Commissioner of Patents

Box PCT

Washington, DC 20231

ATTN: DO/EO/US

Dear Sir:

Before examining this application, please enter the amendments below:

IN THE CLAIMS:

Please cancel claims 2 through 13.

Applicants respectfully request entry of this amendment. If any fees are due in connection with entering this amendment, the Commissioner hereby is authorized to charge such fees to our Deposit Account No. 01-1250.

Respectfully submitted,

Glenn E. J. Murphy Reg. No. 33,539

Henkel Corporation Law Department Tel. No. 610-832-2228 140 Germantown Pk., St. 150 Attorney for Applicant Plymouth Meeting, PA 19462

DETERGENTS COMPRISING CELLULASES

The present invention relates to the use of novel cellulases with improved properties in detergents and aqueous laundry solutions. The invention further relates to detergents and detergent additives comprising the novel cellulase.

Cellulases, also called cellulolytic enzymes, are enzymes which are capable of the hydrolysis of the ß-D-glucosidic linkages in celluloses. Cellulolytic enzymes have been divided traditionally into three classes: endoglucanases, exoglucanases or cellobiohydrolases and ß-glucosidases (Knowles, J. et al. (1987), TIBTECH 5, 255-261). Cellulolytic enzymes can be produced by a large number of bacteria, yeasts and fungi. Microorganisms that produce cellulases are described in for example GB-A-2094826.

Several applications have been developed for the use of cellulolytic enzymes:

- degrading (wood)cellulose pulp into sugars for (bio)ethanol production;
- several textile treatments like 'stone washing' and 'biopolishing';
- application in detergent compositions.

The use of cellulases in detergent compositions started with cellulases capable of reducing the harshness, i.e softening, of cotton containing fabrics, as described in for example GB-B-1358599.

It is further known that detergent compositions comprising cellulases are effective in removing dirt, i.e. cleaning. The efficiency of cellulolytic enzymes, cellulases, in terms of cleaning textile has been recognized for some time. GB-A-2075028, GB-A-2095275 and GB-A-2094826 disclose detergent compositions with cellulase for improved cleaning performance.

It is also known in the art that cellulases can act as a colour clarifying agent in laundry detergents. After repeated washing of soiled fabrics, cotton containing fabrics appear to be greyish, most probably due to disrupted fibres caused by mechanical action. The fibres are torn up resulting in disordered fibres which are broken. The use of cellulases as colour clarification agents for coloured fabrics has been described in EP-A-0220016. Actually cellulase mixtures from the fungal strain Humicola insolens (DSM 1800) are

commonly used in detergents to result in antipilling and colour revival properties. The cellulolytic enzyme system produced by the wild type microorganism is available under the trade name of Celluzyme® by Novo-Nordisk. In addition a cloned (single) cellulase from the same origin under the trade name Carezyme® is also used in detergents.

The main disadvantage of the cellulases known in the art showing colour clarification is that these enzymes agressively degrade the cellulose containing fabrics which results in damage by undesirable loss of tensile strength of the fabrics.

On the other hand cellulases known in the art showing good cleaning properties show hardly any colour clarification effects. The first commercial detergent with cellulases in the world contained a bacterial cellulase. This enzyme represents an above mentioned alkaline endoglucanase from a Bacillus species that does not attack cellulose fibers. The enzyme is described to give a cleaning effect during washing. No effects with respect to anti-pilling or colour revival have been described for this enzyme.

From the above it will become clear that it is still desirable to provide for improved cellulases in detergent applications. Using mixtures of cellulases, as suggested in international patent application WO-A-95/02675, is supposed to provide the above mentioned performances in laundry washing, but to our knowledge it has not previously been possible to use single enzymes providing all these characteristics when applied in laundry washing.

Surprisingly it has been found that the use of certain single cellulases which are capable of cleaning, antiredeposition, colour clarification and antipilling performance in laundry washing does not at all result in unacceptable damage to the textiles washed.

Accordingly, the present invention relates to the use of a single cellulase with a ratio of tensile strength loss (TSL, as herein definded) to antipilling properties (AP, as herein defined) below 1 in aqueous laundry solutions.

To measure tensile strength loss is a way to measure damage caused by mechanical stress or enzymatical action on fibers. It is to be understood that for the purpose of the present invention cotton fiber has to be used. The method measures the tensile

strength of single fibers under wet conditions. It is described in the German Standard DIN 53, 857, part 1, as well as in the International Standard ISO 2267.

As the effect normally shows up in a significant amount only after about 20 to 25 wash cycles, there is always some tensile strength loss due to the mechanical forces acting on the cotton fiber during the washing process. Therefore the tensile strength loss of a control fabric washed without cellulases using the same formulation of detergent and the same type of washing machine and washing programme has to be subtracted. To calibrate the values, a preparation of the (single) endoglucanase V from Humicola insolens (EG V) in equal amounts of enzymatic protein in the detergent is used as a standard and the value of the tensile strength loss for this sample minus the control value of detergent without cellulase is taken as a TSL of 100%. This cellulase EG V has been described for example in the international patent application WO 91/17243. The amount of protein can be measured for example by using the BCA Pierce method as described by R.E. Brown et al. in Anal. Biochem. 1989, vol. 180, p. 136 - 139.

A preparation of an above mentioned Bacillus cellulase available from Kao Corp. under the trade mark KAC® 500 or KAC® 700 may be used as comparison, resulting in general in a very low tensile strength loss as compared to the control washing experiment with no cellulase present.

The attack of cellulases on protruding microfibrils, pills and cotton fluff on the surface of a cotton fabric results in an optically visible removal of that pills. To test the effect, washings are to be performed using a detergent with and without cellulase, as described for the detremination of TSL. The antipilling effect, too, can best be seen after an increasing number of wash cycles. Therefore a number of 15 to 40 wash cycles are generally used to demonstrate this effect of cellulases.

There are three different methods that can be used for quantification of this effect:

- visual evaluation by a test group (panel)
- 2. measurement of light reflection (L-value of the CIELAB-system)
- 3. determination of the cotton fluffs by means of optical measurement

The determination using the L-value of the CIELAB-system [Commission Internationale de l'Éclairage] was described by U. Hotz in Tenside Surf. Det. 1993, vol. 30, page 388.

The optical measurement system, which is used in the preferred method of determining the antpilling properties, usually consists of a light source, a microscope tube and a CCD colour camera recording the light reflected from the surface of a fabric. Depending on the amount of pills and fluff on the surface of the fabric the amount of reflected light as measured by digital image analysis changes. Such a system can be used to measure quantitatively the amount of pill and fluff on fabrics, normally after 15 to 40 wash cycles depending on the type and activity of the cellulase added to the detergent. An optical system which can be used to measure the degree of pilling has been described by T. Müller-Kirschbaum and H. Grundmann in SÖFW, vol. 118 (1992), p. 483-499

Whatever method is used to determine the antipilling effect of the cellulase to be tested, the standard cellulase EG V has to be tested under the same conditions and it's effect has to be determined by the same method, taking into account the value resulting from the use of the detergent without cellulase. The value obtained for EG V is taken as AP = 100 %.

As can be seen from this definition, the known cellulase EG V from Humicola insolens has a ratio of TSL to AP of 1. As the above mentioned Bacillus cellulase available from Kao Corp. under the trade mark KAC® 500 or KAC® 700 has a low AP and a very low TSL, it can be seen that also the ratio for this cellulase is approximately 1. Cellulases which may be used according to the invention, especially in detergents, have a ratio of TSL to AP as much as possible below 1, preferably below 0.8 and more particularly in the range of 0.001 to 0.5. A ratio of TSL to AP of for example 0.5 means that only 50 % of tensile strength loss is seen at an enzyme concentration yielding the same antipilling effect as the standard cellulase.

The aqueous laundry solution preferably comprises cellulase according to the definition given above in concentrations of 0.01 mg/l to 0.2 mg/l, more particularly 0.015 mg/l to 0.1 mg/l. These concentrations refer to the weight of cellulolytic protein. In addition all ingredients normally found in laundry solutions can be present.

Another aspect of the present invention is the use of a single cellulase with a ratio of TSL to AP below 1 to provide an anti-greying effect to fabrics, especially coloured fabrics.

In another aspect of the invention a single cellulase with a ratio of TSL to AP below 1 is used to provide a softening effect to fabrics.

The present invention also relates to the use of a single cellulase with a ratio of TSL to AP below 1 to provide colour clarification or to inhibit colour deterioration of fabrics, especially coloured fabrics.

The present invention further relates to the use of a single cellulase with a ratio of TSL to AP below 1 to inhibit the wrinkling of fabrics and to ease the ironing of fabrics.

We found that the use of a single cellulase according to the definition of the invention, unlike previously known mixtures of cellulases which provide colour clarification, does not degrade cotton to an undesirable level causing tensile strength loss.

It is further found that in using a cellulase of the definition according to the invention, unlike previously known cellulases which provide colour clarification, the enzyme does not accumulate on the fabric after repeated laundry washing.

In another aspect, the invention is directed to detergent compositions, detergent additives and fabric softener compositions comprising a single cellulase according to the definition given above.

As noted before, the present invention generally relates to the use of novel cellulases. However, prior to disclosing this invention in more detail, the following terms will be defined:

_Cellulase* is a generic name for enzymes acting on cellulose and its derivatives, and hydrolysing them into glucose, cellobiose or cellooligosaccharides.

The term "single" cellulase used herein is intended to mean a cellulase which is produced by one gene.

"Obtainable from" an organism in connection with a cellulase means that such cellulase has an amino acid sequence which corresponds to the amino acid sequence of a cellulase which may be obtained from that organism.

"Derivative" is intended to indicate a protein which is derived from the native protein by addition of one or more amino acids to either or both the C- and N-terminal end of the native protein, substitution of one or more amino acids at one or a number of different sites in the native amino acid sequence, deletion of one or more amino acids at either or both ends of the native protein or at one or more sites in the amino acid sequence, or insertion of one or more amino acids at one or more sites in the native amino acid sequence. The preparation of a derivative is usually achieved by modifying a DNA sequence which encodes for the native protein, transformation of that DNA sequence into a suitable host and expression of the modified DNA sequence to form the derivative protein. The derivative of the invention includes peptides comprising altered amino acid sequences in companison with a precursor enzyme amino acid sequence (e.g., a wild type or native state enzyme according to the present invention) and which peptides retain a characteristic enzyme nature of the precursor enzyme but which have altered properties in some specific aspect. For example, an altered cellulase may have an increased pH optimum or increased tempertature resistance but will retain its characteristic cellulase activity. Derivatives also includes chemical modifications of amino acid residues within the enzyme molecule.

"Host cell" means a cell which has the capacity to act as a host and expression vehicle for a recombinant DNA vector comprising DNA which encodes for the native protein or a derivative.

The term "cleaning" means the removal of dirt attached to laundry.

The term _pilling* in this respect is the formation of pills and fuzz on the surface of cotton containing fabrics due to broken or disordered fibres.

The term "antipilling" is used to describe the prevention of the formation of pills and fuzz on the surface of cotton containing fabrics as well as the removal of pills and fuzz from cotton containing fabrics. Antipilling normally results in colour clarification when coloured cotton containing fabrics are treated.

The term "colour clarification" in this respect is the reestablishment of the attractive fresh look of coloured fabrics containing or consisting of cellulose based fibres, which

have developed a greyish appearance by treatment, especially with laundry detergents, of the coloured fabric.

The term "redeposition" in this respect is deposition of dirt or colour components that were removed from these textiles or fabrics during a laundry washing or textile treatment.

The term "antiredeposition" in this respect is the action of cellulase to prevent or diminish the redeposition of dirt and colour components on the fabric.

By a "laundry solution" is meant an aqueous solution used for washing, rinsing or conditioning, e.g. softening, fabrics.

In a preferred aspect, the present invention relates to the use of a cellulase which is obtainable from microorganisms which are deposited according to the Budapest Treaty on the International Recognition of the Deposits of Microorganisms for the Purposes of Patent Procedures, at the Centraal Bureau voor Schimmelcultures, Baam, The Netherlands on December 23, 1993 under deposition numbers CBS 669.93 and CBS 670.93 (described in international patent application WO-A-95/18219). This strains have been classified as new species of the genus <u>Bacillus</u>, which do not belong to any of the presently known rRNA-groups of <u>Bacillus</u>. As used herein, the deposited species will be referred to as CBS 669.93 and CBS 670.93.

The microorganisms may be obtained for example from water and soil samples collected in alkaline environments such as alkaline soils and soda lakes.

The microorganisms have subsequently been screened using a carboxymethyl cellulose (CMC)-agar diffusion assay. Strains which showed a clearing zone in this test were isolated as potential cellulase producing strains. Genomic gene libraries of the alkali tolerant cellulase producing strains were constructed. Recombinant clones were screened by agar diffusion on CMC-agar. Recombinant clones that showed clearing zones around the colony were isolated. Single cellulases were produced by fermentation of the recombinant clones in 4*YEP-medium for 48 hours at 30°C. The obtained single cellulases, optionally purified as described in Example 1, were tested in the tests defined above to measure TSL and AP.

Surpnsingly it was found that the cellulases obtainable from CBS 670.93 or CBS 669.93 show a good performance in both tests and have a ratio of TSL to AP below 1.

In a preferred embodiment of the invention, an approximately 50 kD cellulase (calculated on the basis of the amino acid sequence (SEQ ID No. 2) of the mature protein) derived from CBS 670.93 (referred to as "BCE 103" herein) is used. It has been revealed by analyzing the gene encoding the amino acid sequence of the approximately 50 kD cellulase that this cellulase is 89% identical in sequence and 92.5% similar in sequence to the cellulase CelA of *Bacillus sp.* N-4 (Fukumori et al., J. Bacter., vol. 168, pp. 479-485) by using the TFastA program (Sequence Analysis Software Package 6.0 of Genetic Computer Group. University of Wisconsin, Biotechnology Center, Madison, Wisconsin) as described by Pearson and Lipman in Proc. Nat. Acad. Sci., vol. 85, pp. 2444-2448 (1988). The amino acid sequence of BCE 113 is given in SEQ. ID. No. 3. The present invention further encompasses the use of cellulases with an amino acid sequence which have greater than 89 %, preferably greater than 95 % sequence identity and/or greater than 92.5 %, preferably greater than 97 % sequence similarity thereto, and detergents comprising such a cellulase.

In an equally preferred embodiment of the invention, an approximately 63 kD cellulase (calculated on the basis of amino acid sequence of the mature protein) derived from CBS 669.93 (referred to herein as "BCE 113") is used. It has been revealed by analyzing the gene encoding the amino acid sequence of the approximately 63 kD cellulase that this cellulase is 58 % identical in sequence and 72 % similar in sequence to the cellulase CelB of Bacillus lautus (Jorgensen et al, Gene, vol. 93 (1990), p. 55-60) by using the TFastA program (Sequence Analysis Software Package 6.0 of Genetic Computer Group, University of Wisconsin, Biotechnology Center, Madison, Wisconsin) as described by Pearson and Lipman in Proc. Nat. Acad. Sci., vol. 85 (1990), p. 2444-2448. The amino acid sequence of BCE 113 is given in SEQ ID No.3. The present invention further encompasses the use of cellulases with an amino acid sequence which have greater than 58 %, preferably greater than 80 % and more particularly greater than 90 % sequence similarity thereto, and detergents comprising such a cellulase.

- 9 -

A cellulase which may be used in detergents according to the present invention in addition to having a ratio of TSL to AP below 1 usually performs well in the Antiredeposition Test as described in Example 4. Whiteness maintenance of white fabric is measured by a reflectance measurement. The higher the reflectance value, the more effective the tested cellulase is in antiredeposition performance. They also perform well in the Softening Test as described in Example 4. Depilling is the removal of fibrils and/or microfibers that are disordered and/or broken which usually make a coloured cotton containing fabric look greyish. The more disordered and/or broken fibrils are removed the better the coloured cotton containing fabrics look. Depilling effectiveness can be judged by panels or can be quantified by an image analysis system, as specified above for the measurement of AP. Cellulases which fulfil the requirement of the ratio defined above usually exhibit the following properties: They show a delta REM of at least 4 units, preferably at least 5 units, in the Anti Redeposition Test as defined in the Examples, and they show a depilling result which is at least comparable to that of the cellulase obtainable from CBS 670.93.

The cellulases which can be used according to the present invention may be produced by a process which can be developed using genetic engineering. As a first step the gene encoding the cellulase of the present invention can be cloned using λ -phage (expression) vectors and \underline{E} . \underline{coli} host cells. Alternatively PCR cloning using consensus primers designed on conserved domains may be used. Expression of the gene encoding the cellulase of the present invention in \underline{E} . \underline{coli} is shown to give an active protein.

After a first cloning step in <u>E. coli</u>, a cellulase gene can be transferred to a more preferred industrial expression host such as <u>Bacillus</u> or <u>Streptomyces</u> species, a filamentous fungus such as <u>Aspergillus</u>, or a yeast. High level expression and secretion obtainable in these host organisms allows accumulation of the cellulase of the invention in the fermentation medium from which they can subsequently be recovered.

Cellulases according to the invention are preferably used in amounts of 8 · 10⁻⁵ % by weight (0.8 ppm) to 8 · 10⁻³ % by weight (80 ppm), more particularly 1 · 10⁻⁴ % by weight (1 ppm) to 4 · 10⁻³ % by weight (40 ppm), referring to the cellulolytic protein, in detergents. Detergent compositions comprising a cellulase defined according to the invention may additionally comprise surfactants which may be of the anionic, non-ionic,

cationic, amphoteric or zwitterionic type as well as mixtures of these surfactant classes. Detergent compositions of the invention may contain other detergent ingredients known in the art, as e.g. builders, bleaching agents, bleach activators, anti-corrosion agents, sequestering agents, soil release polymers, perfumes, other enzymes, enzyme stabilizers, etc.

Suitable builders are in particular those from the classes of polycarboxylic acids, more particularly polymeric acrylic acids, methacrylic acids, maleic acids, copolymers thereof and oxidized carbohydrates, as described in international patent application WO-A-93/16110, layer silicates, more particularly bentonites, alumosilicates, more particularly zeolites, crystalline or amorphous alkali metal silicates, more particularly sodium silicate, and alkali metal carbonates, more particularly sodium carbonate. The polycarboxylic acids mentioned are normally used in the form of their alkali metal salts, more particularly in the form of their sodium or potassium salts. The zeolites preferably incorporated are in particular those of the A, P or X type or mixtures thereof. Preferred alkali metal silicates are those with molar ratios of SiO₂ to alkali metal oxide of 1.5 to 3.0. Builders such as these are preferably present in detergents according to the invention in quantities of 20% by weight to 80% by weight.

Nonionic surfactants may be present in the detregents according to the invention, preferably in quantities of not more than 10% by weight and, more preferably, in quantities of 2% by weight to 6% by weight, based on the detergent as a whole. Suitable nonionic surfactants are alkyl polyglycosides containing 10 to 22 carbon atoms in the alkyl component and alkoxylates, particularly ethoxylates and/or propoxylates, of linear or branched C₁₀₋₂₂ and preferably C₁₂₋₁₈ alcohols. The degree of alkoxylation of the alcohols is between 1 and 20 and preferably between 3 and 10. They may be prepared in known manner by reaction of the corresponding alcohols with the corresponding alkylene oxides. The fatty alcohol derivatives are particularly suitable, although their branched-chain isomers, more particularly so-called oxoalcohols, may be used for the production of useable alkoxylates. Accordingly, the ethoxylates of primary alcohols containing linear dodecyl, tetradecyl, hexadecyl or octadecyl radicals and mixtures thereof are particularly useful. In addition, corresponding ethoxylation and/or propoxylation products of alkyl amines, vicinal diols and carboxylic acid amides, which correspond to the alcohols mentioned in regard to the alkyl component, and of alkyl phenols containing 5 to 12 carbon atoms in the alkyl component may also be used.

Suitable anionic surfactants are in particular those of the sulfate or sulfonate type, although other types, such as soaps, long-chain N-acyl sarcosinates, salts of fatty acid cyanamides or salts of ether carboxylic acids, which may be obtained from long-chain alkyl or alkyl phenyl polyglycol ethers and chloroacetic acid, may also be used. The anionic surfactants are preferably used in the form of the sodium salts. Surfactants are preferably present in quantities of 2% by weight to 30% by weight and more preferably in quantities of 5% by weight to 20% by weight.

Particularly suitable surfactants of the sulfate type are the sulfuric acid monoesters of longchain primary alcohols of natural and synthetic origin containing 10 to 20 carbon atoms, i.e. the sulfuric acid monoesters of fatty alcohols such as, for example, coconut oil fatty alcohols, tallow fatty alcohols, oleyl alcohol, or the C₁₀₂₀ oxoalcohols and those of secondary alcohols of the same chain length. The sulfuric acid monoesters of aliphatic primary alcohols, secondary alcohols and alkyl phenols ethoxylated with 1 to 6 mol ethylene oxide are particularly suitable. Sulfated fatty acid alkanolamides and sulfated fatty acid monoelycendes are also suitable.

The sulfonate-type surfactants are primarily the alkylbenzene sulfonates containing C₉₋₁₅ alkyl groups, sulfosuccinic acid monoesters and diesters containing 6 to 22 carbon atoms in the alcohol components and the esters of a-sulfofatty acids, for example the a-sulfonated methyl or ethyl esters of hydrogenated coconut oil, palm kernel oil or tallow fatty acids. Other suitable surfactants of the sulfonate type are the alkane sulfonates obtainable from C₁₂₋₁₈ alkanes by sulfochlorination or sulfoxidation and subsequent hydrolysis or neutralization or by addition of bisulfite onto olefins and also olefin sulfonates, i.e. mixtures of alkene and hydroxyalkane sulfonates and also disulfonates which are obtained, for example, from long-chain monoolefins with a terminal or internal double bond by sulfonation with gaseous sulfur trioxide and subsequent alkaline or acidic hydrolysis of the sulfonation products.

Bleaching agents are preferably selected from the type containing peroxygen, as hydrogen peroxide, alkali perborate, alkali percarbonate, alkali persilicate and/or alkali persulfate. Particularly preferred are sodium perborate monohydrate and sodium percarbonate. Bleaching agents may be present in amounts of 5 % by weight to 25 % by weight, more particularly 7 % by weight to 20 % by weight.

- 12 --

Bleach activator compounds include in particular N- or O-acyl compounds, for example polyacylated alkylene diamines, more particularly tetraacetyl ethylene diamine. N-acylated more particularly 1,5-diacetyl-2,4-dioxohexahydro-1,3,5-triazine, acylated glycolurils, more particularly tetraacetyl glycoluril, N-acylated hydantoins, hydrazides. triazoles, urazoles, diketopiperazines, sulfuryl amides and cyanurates, also carboxylic anhydrides, more particularly phthalic anhydride, carboxylic acid esters, more particularly sodium isononanoyloxy benzene sulfonate, and acylated sugar derivatives, more particularly pentaacetyl glucose. The bleach activator may be coated in the usual way with shellforming substances or may be granulated, optionally using granulation aids, and if desired may contain other additives, for example dye. A bleach activator which forms peroxocarboxylic acids with 2 to 12 carbon atoms, in particular peroxoacetic acid, under the washing conditions is preferably used. A particularly preferred bleach activator is tetraacetyl ethylene diamine (TAED) granulated with carboxymethyl cellulose with average particle sizes of 0.01 mm to 0.8 mm, which may be produced by the process described in European Patent EP-B-0 037 026. In addition to the above mentioned bleach activators or even subtituting them so-called bleach catalysts may be used, which are transition metal complexes, for example as described in

Enzymes which may be present in the detergents according to the invention, in addition to the cellulase according to the definition, are proteases, lipases, cutinases, amylases, pullulanases, other cellulases, hemicellulases, xylanases, oxidases and/or peroxidases. They may be present in amounts up to 5 % by weight, preferably 0.2 % by weight to 2 % by weight.

The detergent compositions of the invention may be formulated in any convenient form e.g. as a powder or liquid. For the production of detergents with high apparent density of e.g. 650 g/l to 950 g/l a method using an extrusion step, as described in European patent EP-B-0 486 592, is preferred.

Fabric softening compositions comprising the inventive cellulase may comprise further to this cellulase cationic surfactants, preferably of the so-called esterquat type, which are capable of fabric softening and which may increase the fabric softening properties of the compositions.

-- 13 --

Examples

Example 1 Production of cellulases

- Screening for cellulase producing microorganisms

Two methods were applied for the isolation of cellulase-producing microorganisms:

- the soil and water samples were suspended in 0.85% saline solution and directly used in the carboxymethyl cellulose (CMC)-agar diffusion assay for detection of cellulase producing colonies.
- 2) The soil and water samples were enriched for cellulase containing strains by incubation in a cellulose containing liquid minimal medium or GAM-medium for 1 to 3 days at 40°C. Cultures that showed bacterial growth were analyzed for cellulase activity using the CMC-agar diffusion assay for detection of cellulase producing colonies.
- Isolation of alkalitolerant, cellulase producing strains

Strains that showed clearing zones in the agar diffusion assay were fermented in 25 millilitre GAM-medium in 100 millilitre shake flasks in an Incubator Shaker (New Brunswick Scientific, Edison, NJ, USA), at 250 r.p.m. at 40°C for 72 hours. CMCase activity was determined in the culture broth at pH 9 and 40°C.

- Isolation of cellulase genes

Genomic gene libraries of the alkalitolerant cellulase producing strains were constructed in plasmid pTZ18R (Mead, D.A., et al. (1986) Protein Engineering 1, 67). Recombinant clones were screened by agar diffusion on CMC-agar as described by Wood, P.J., et al. (1988) Methods in Enzymology 160, 59-74. Strains that showed clearing zones around the colony were isolated. The CMCase activity of the recombinant strains was determined after fermentation for 48 hours at 30°C in 4*YEP-medium. The plasmid DNA of the recombinant strains was isolated and the inserts were characterized by restriction enzyme analysis and nucleotide sequence analysis.

- Media

The minimal medium (pH 9.7) used in the CMC-agar diffusion assay and the enrichment procedure, consisted of KNO $_3$ 1%, Yeast extract (Difco) 0.1%, KH $_2$ PO $_4$ 0.1%, MgSO $_4$.7H $_2$ O 0.02%, Na $_2$ CO $_3$ 1%, NaCl 4% and 0.25% CMC (Sigma C-4888). For solidification 1.5% agar was added.

The complex medium (GAM) used for enzyme production of the donor strains consisted of Peptone (Difco) 0.5%, Yeast extract (Difco) 0.5%, Glucose.H₂O 1%, KH₂PO₄ 0.1%, MgSO₄ 7H₂O 0.02%, Na₂CO₃ 1%, NaCl 4%. The pH was adjusted to 9.5 with 4M HCl after which 1% CMC was added.

The complex medium (4*YEP) used for the enzyme production in <u>E. coli</u> recombinant strains consisted of Yeast extract (Difco) 4%, Peptone (Difco) 8%, lactose 0.2%, 100 µg/ml ampicilline.

- CMC-agar diffusion assay for colonies

Cell suspensions in 0.85% saline solution were plated on CMC-containing minimal medium. After incubation for 1 to 3 days at 40°C, the plates were replical plated and the parent plate was flooded with 0.1% Congo Red for 15 minutes. The plates were destained with 1M NaCl for 30 minutes. The strains that showed a cleaning zone aroung the colony were isolated as potential cellulases producing microorganisms.

- CMC-agar diffusion assay for liquid fractions

Aliquots of 40 µl of enzyme solution or fermentation broth were pipetted in wells punched out from a layer of 5 mm of minimal medium in a petri dish. After incubation for 16 hours at 40°C cellulase activity was detected by Congo Red / NaCl treatment. The diameter of the clearing zone is a measure for the CMCase activity.

- Resulting cellulase

These experiments resulted in the isolation of a cellulase producing microorganism which was deposited thereafter as CBS 670.93. The microorganism was classified as a

new species of the genus <u>Bacillus</u>. Cloning experiments with the CBS 670.93 strain as a donor strain resulted in the isolation of an <u>E. coli</u> clone which was able to produce a cellulase called BCE 103. The nucleotide sequence of the gene coding for said cellulase was analysed. From the cellulase BCE 103 the N-terminal amino acid sequence was determined using standard methods for obtaining and sequencing peptides (Finlay & Geisow (Eds.), Protein Sequencing - a practical approach, 1989, IRL Press). The amino acid sequence of the cellulase was deduced from the nucleotide sequence, using the N-terminal amino acid sequence for the starting point of the mature protein.

The nucleotide sequence for BCE 103 is shown in SEQ ID No. 1 and the amino acid sequence is shown in SEQ ID No. 2.

- Purification of the cellulase

After the fermentation the cells were separated from the culture liquid by centrifugation (8000 rpm). The cellulase in the supernatant was precipitated with ammonium sulphate (65% saturation). The precipitate was dissolved in 25 mM phosphate buffer pH 7 + 5 mM EDTA until a conductivity of 7 mS/cm. This solution was applied to a Q-Sepharose FF (diameter 5 cm, length 10 cm) Anion Exchange column, after which the column was washed with 25 mM phosphate buffer pH 7 + 5 mM EDTA until an absorbency of 0.2 AU. A gradient of 0 to 0.5 M NaCl in 25 mM phosphate pH 7 was applied to the column in 80 minutes followed by a gradient from 0.5 to 1 M NaCl in 10 minutes. Depending on which cellulase was applied to the column, elution took place in the first or the second gradient. After elution the column was cleaned (upflow) with 1 M NaOH and equilibrated again with 25 mM phosphate pH 7 + 5 mM EDTA. Depending on the elution the obtained cellulase had a purity of up to about 80%.

- Characterization

CMC'ase assay

Assays for cellulase activity were performed using modified methods of the PAHBAH method (Lever M. Anal. Biochem. 1972, <u>47</u>, 273-279 and Lever M. Anal. Biochem. 1977, 81, 21-27).

-- 16 --

Procedure

A test tube is filled with 250 µl 2.5% CMC in 50 mM glycine buffer pH 9 (CMC-low viscosity is purchased from Sigma) and 250 µl aliquots cellulase, diluted in the appropriate buffer. The test tube is incubated for 30 minutes at 40°C in a waterbath, whereafter 1.5 ml of a daily fresh prepared PAHBAH solution (1% PAHBAH in 100 ml 0.5 M NaOH with 100 µl bismuth solution (containing 48.5 g bismuth nitrate, 28.2 g potassium sodium tartrate and 12.0 g NaOH in 100 ml) is added. The mixture is heated at 70°C for 10 minutes, after which it is cooled on ice for 2 minutes. The absorption is measured at 410 nm. To eliminate the background absorbance of the enzyme samples a control experiment is executed as follows: a tube with substrate is incubated under the same conditions as the test tube. After the incubation 1.5 ml PAHBAH and the enzyme preparation is added (in this order). One unit (U) is defined as the amount of enzyme producing 1 µmol of glucose from CMC equivalent determined as reducing sugars per minute per gram product.

The buffer used for the determination of the pH/temperature profiles is a phosphate/citrate system. The pH/temperature profiles were determined using a fixed enzyme concentration which fits in the linear range of the dose response profile measured at pH 7 and 40°C. This enzyme concentration was used for the measurement of the activities under all other determined conditions.

The results for the cellulase BCE 103 are shown in Figure 1. This cellulase shows good activities at alkaline pH, which makes it suitable for application in detergents with an alkaline pH.

Example 2

Similar procedures starting with the alkalophilic bacillus strain CBS 669,93 resulted in cellulase BCE 113. The results for this cellulase BCE 113 are shown in Figure 2. This cellulase also shows good activities at alkaline pH, which makes it suitable for application in detergents with an alkaline pH.

Example 3: Measurement of tensile strength and antipilling

As described for the evaluation of TSL, washing experiments were performed using as detergent matrix a Colour Detergent without bleach, without perfume and enzymes (105 g detergent per wash cycle, pH 10.5), as washing machine a type Miele® W 717, temperature 40 °C, program "Normalprogramm", with water of a hardness of 16 °dH (German hardness), wash load 3.5 kg, 25 washes.

Experiments using a composition according to the invention (D1) as well as comparisons (C1 to C3) were run in parallel in identical machines:

- C1: detergent matrix without cellulase
- C2: detergent matrix + 0.288 mg endoglucanase V from Humicola insolens
- C3: detergent matrix + cellulase mixture from Humicola insolens sold as granules Celluzyme® 0.7T
- D1: detergent matrix + 0.288 mg cellulase BCE 103
- D2: detergent matrix + 0.288 mg cellulase BCE 113

Table 1: Results of TSL-measurements [%]

Composition	TSL
C1	0
C2	100
СЗ	38
D1	12

Using washing machines of type Miele® W 914, under otherwise identical conditions, gave the following results:

Table 2: Results of TSL-measurements [%]

Composition	TSL
-------------	-----

C1	0
C2	100
D2	0.6

Example 3: Measurement of antipilling and Calculation of the ratio TSL to AP

The evaluation of antipilling properties was done with increased concentrations of cellulases for better quantitative evaluation of the effect. A Colour Detergent (5g/l, 10 wash cycles at 40 °C) with the addition of cellulase as given in Table 3 was used on "pilled" sweat shirt cotton material (washed 25 times at 60 °C with a detergent without cellulase). Evaluation of the pilling was done with the optical measurement system as described before; a degree of pilling of 0 % was assigned to the "pilled" material.

Table 3: Results of AP-measurements [%]

Enzyme concentration	degree of pilling		AP [%]of BCE 103
	EG V	BCE 103	
25 μg/ml	-12.8%	-8.4 %	65 %
37,5μg/ml	-16.0%	-9.6 %	59 %
50 μg/ml	-22,8 %	-15.6 %	68 %

An average AP of 64% can be calculated for BCE 103 cellulase. BCE 113 cellulase showed under the same conditions an average AP of 100 %.

Using the values for TSL in Tables 1 and 2, the ratios of TSL to AP for the various cellulases are as in the following Table 4:

Table 4: Ratio TSL to AP

Enzyme	Ratio
EG V	1
BCE 103	≈ 0.2
BCE 113	≈ 0.02

Example 4: Further test procedures

- Anti redeposition test

20 ml 0.5% pigmented soil (fresh prepared, daily and consisting of 86% kaolin, 8% soot (Flammruß 101, obtained from Degussa AG), 4% iron oxide black and 2% iron oxide yellow (from Henkel Genthin GmbH)), in a detergent (Persil color® without enzymes, 5 g/l, pH 8.5) was, under agitating (90 rpm) incubated with white cotton fabric (prewashed, 5 cm diameter, obtained from Windelbleiche, Krefeld). Cellulase was added until a final concentration of 1 mU/ml. The mixture was incubated for 30 minutes at 40°C, 90 rpm. As a control the same incubation was carried out without the addition of cellulase. After the incubation the fabric was rinsed thoroughly with running cold water. After drying the whiteness of the fabric was measured by remission (4 measurements per fabric) using a Micro colour Dr. Lange® Colourimeter. The control value was substracted from the sample value. The results expressed as delta Rem, are shown in Table 5.

-Fibre Damage Test

One pad of cotton wool (100% cotton, Warenhandels GmbH, Buchholz, Marke Olivia, Selling agency: Aldi) was incubated in 40 ml wash liquor (Persil color® without enzyme, 5 g/l pH 8.5), cellulase at a final concentration of 1 mU/ml was added in a sealed flask and incubated for 20 hours at 40°C under agitation (90 rpm). After the incubation, fibre damage was monitored by the measurement of the quantity of the reducing sugars in solution, using the PAHBAH method described in Example 1. As a control the same incubation was carried out without the addition of cellulase. The results are shown in Table 5.

-Adsorption Test

White cotton fabric (Windelbleiche, Bielefeld) prewashed with german Persit® without enzymes at 60°C, was cut round to 9 cm diameter (approx. 0.920 gram). One cotton swatch was incubated in 50 ml 50 mM glycine-NaOH buffer pH 9 including 0.1% SDS and 1 ml cellulase sample (600 mU/ml) for 60 minutes at 30°C. 2 ml samples were taken at T=0 and at T=60 minutes and were diluted directly (1:2) with 50 mM MES-buffer pH 6.5 and stored at 4°C until measurement. As control the same incubation was carried out without the addition of cotton textile. The activity measurement was determined with a PAHBAH method as described in Example 3, but at pH 6.5 in 50 mM MES buffer. The adsorption was expressed as relative adsorption where the activity applied at the start of the experiment was set as 100%, T=0. 100% activity value remaining activity (%) = adsorption (%). The results are shown in Table 5.

Table 5: Results of the Antiredeposition Test, Fibre Damage Test and Adsorption Test

Enzyme	Antiredeposition [delta REM]	Fibre Damage [mU]	Adsorption [%]
BCE 103	5.0	0.025	7
KAC®ª)	7.5	0.006	0
EG V	1.2	0.155	36

a): Cellulase of Kao Corporation

Cellulase BCE 113 performed in theses tests at least as well as cellulase BCE 103.

-Softening test

The softness of fabrics treated as in Example 3, but after 15 wash cycles, was rated by an expert panel (5 persons) who awarded grades between 0 (fabric washed 25 times with a detergent without cellulase) and 6 (fabric prior to any wash) by the feel of the fabrics. Compositions as defined in Example 2 were used in the washings. The average rates are

given in Table 6. It can be seen that the compositions according to the invention showed the best performance.

Table 6: Results of the Softening Test

Composition	Rate
C1	0
C2	2.1
СЗ	1.5
D1	2.3
D2	2.2

-- 22 --

Legend to the figures

Figure 1 shows the relative activities of the cellulase BCE 103. In Example 1 this figure is referred to as the pH/temperature profiles. All activities for both 40 and 60°C are related to the highest activity which is fixed on 100%.

Figure 2 shows the relative activities of the cellulase BCE 113.

Figure 3 shows the DNA sequence (SEQ ID No. 1) and deduced amino acid sequence (SEQ ID No. 2) of the 50 kD cellulase derived from CBS 670.93 with the leader peptide sequence shaded, which upon secretion is cleaved to yield the mature enzyme.


Figure 4 shows the DNA sequence (SEQ ID No. 4) and deduced amino acid sequence (SEQ ID No. 3) of the 63 kD cellulase derived from CBS 669.93 with the leader peptide sequence underlined, which upon secretion is cleaved to yield the mature enzyme.


-- 23 --

Claims

- Use of a single cellulase with a ratio of tensile strength loss (TSL) to antipilling properties (AP) below 1 in aqueous laundry solutions.
- Use according to claim 1, characterized in that the aqueous laundry solution comprises the cellulase in concentrations of 0.01 mg/l to 0.2 mg/l, more particularly 0.015 mg/l to 0.1 mg/l.
- Use of a single cellulase with a ratio of TSL to AP below 1 to provide an anti-greying effect to fabrics, especially coloured fabrics.
- Use of a single cellulase with a ratio of TSL to AP below 1 to provide a softening effect to fabrics.
- Use of a single cellulase with a ratio of TSL to AP below 1 to provide colour clarification to fabrics or to inhibit colour deterioration of fabrics, especially coloured fabrics.
- Use of a single cellulase with a ratio of TSL to AP below 1 to inhibit the wrinkling of fabrics and to ease the ironing of fabrics.
- Use according to any of claims 1 to 6, characterized in that the ratio of TSL to AP is below 0.8 and more particularly in the range of 0.001 to 0.5.
- Use according to any of claims 1 to 7, characterized in that the cellulase is obtainable from <u>Bacillus</u> sp. CBS 669.93 or CBS 670.93.
- Use according to any of claims 1 to 8, characterized in that the cellulase has the amino acid sequence as listed in SEQ ID No. 2 or a derivative thereof.
- 10. Use according to any of claims 1 to 8, characterized in that the cellulase has the amino acid sequence as listed in SEQ ID No. 3 or a derivative thereof.


- 11. Use according to claim 9 or 10, characterized in that the cellulase has an amino acid sequence with greater than 58 %, preferably greater than 80 % and more particularly greater than 90 % sequence identity and/or greater than 72 %, preferably greater than 80 % and more particularly greater than 90 % sequence similarity to the amino acid sequence as listed in SEQ ID No. 2 and/or SEQ ID No. 3.
- 12. A detergent composition which comprises a single cellulase with a ratio of TSL to AP below 1.
- 13. A detergent composition according to claim 12, characterized in that it comprises 0.8 ppm to 80 ppm, more particularly 1 ppm to 40 ppm of the cellulase.





SUBSTITUTE SHEET (RULE 26)






DRAFTSMAN WO 96/34092

3/7

- -121 GAATTCCGTTACATATTTTGCAAAAAAGAGGGTGGTGGCGCTACATATACACCTTAAAAAG
 - -60 TGCAGACTAAAACGATTTCGTTTCAGTATGAAAAGCTAAACCATTACCAAGGAGGAAATT
 - 1 ATGAAAAGATAACTACTATTTTTGCCGTATTGCTCATGACATTGGCGTTGTTCAGTATA MetlysLysIleThrThrIlePheAlaValLeuLeuMetThrLeuAlaLeuPheSerIle
 - 61 GGAAACACGACAGCGGCTGATGATTATTCAGTTGTAGAGGAACATGGGCAACTAAGTATT GlyAsnThrThrAlaAlaAspAspTyrSerValValGluGluHisGlyGlnLeuSerIle
 - 121 AGTAACGGTGAATTAGTCAATGAACGAGGCGAACAAGTTCAGTTAAAAGGGATGAGTTCC SerAsnGlyGluLeuValAsnGluArgGlyGluGlnValGlnLeuLysGlyMetSerSer
- 181 CATGGTTTGCAATGGTACGGTCAATTTGTAAACTATGAAAGCATGAAATGGCTAAGAGAT HisGlyLeuGlnTrpTyrGlyGlnPheValAsnTyrGluSerMetLysTrpLeuArgAsp
- 241 GATTGGGGAATAACTGTATTCCGAGCAGCAATGTATACCTCTTCAGGAGGATATATTGAC ASpTrpGlyIleThrValPheArgAlaAlaMetTyrThrSerSerGlyGlyTyrIleAsp
- 301 GATCCATCAGTAAAGGAAAAAGTAAAAGACACTGTTGAGGCTGCGATAGACCTTGGCATA AspProSerValLysGluLysValLysGluThrValGluAlaAlaIleAspLeuGlyIle
- 421 GCGAAGGATTTCTTTGATGAAATGTCAGAGTTGTATGGAGACTATCCGAATGTGATATAC AlalysAspPhePheAspGluMetSerGluLeuTyrGlyAspTyrProAsnVallleTyr
- 481 GAAATTGCAAATGAACCGAATGGTAGTGATGTTACGTGGGACAATCAAATAAAACCGTAT GlulleAlaAsnGluProAsnGlySerAspValThrTrpAspAsnGlnIleLysProTyr
- 541 GCAGAAGAAGTGATTCCGGTTATTCGTGACAATGACCCTAATAACATTGTTATTGTAGGT AlaGluGluValIleProValIleArgAspAsnAspProAsnAsnIleValIleValGly
- 601 ACAGGTACATGGAGTCAGGATGTCCATCATGCAGCCGATAATCAGCTTGCAGATCCTAAC
 ThrGlyThrTrpSerGlnAspValHisHisAlaAlaAspAsnGlnLeuAlaAspProAsn
- 661 GTCATGTATGCATTTCATTTTATGCAGGAACACATGGACAAAATTTACGAGACCAAGTA ValMetTyrAlaPheHisPheTyrAlaGlyThrHisGlyGlnAsnLeuArgAspGlnVal
- 721 GATTATGCATTAGATCAAGGAGCAGCGATATTTGTTAGTGAATGGGGGACAAGTGCAGCT ASpTyrAlaLeuAspGlnGlyAlaAlaIlePheValSerGluTrpGlyThrSerAlaAla
- 781 ACAGGTGATGGTGTGTTTTTAGATGAAGCACAAGTGTGGATTGACTTTATGGATGAA TATGLYASpGlyValPheLeuAspGluAlaGlnValTrpIleAspPheMetAspGlu
- 841 AGAAATTTAAGCTGGGCCAACTGGTCTCTAACGCATAAGGATGAGTCATCTGCAGCGTTA ArgAsnLeuSerTrpAlaAsnTrpSerLeuThrHisLysAspGluSerSerAlaAlaLeu
- 901 ATGCCAGGTGCAAATCCAACTGGTGGTTGGACAGAGGCTGAACTATCTCCATCTGGTACA MetProGlyAlaAssProThrGlyGlyTrpThrGluAlaGluLeuSerProSerGlyThr

FIG._3A



4/7

961	TTTGTGAGGGAAAAATAAGAGAATCAGCATCTATTCCGCCAAGCGATCCAACACCGCCA PheValArgGluLysIleArgGluSerAlaSerIleProProSerAspProThrProPro
1021	TCTGATCCAGGAGAACCGGATCCAGGAGAACCGGATCCAACGCCCCCAAGTGATCCAGGA SeraspFroGlyGluProAs
1081	GAGTATCCAGCATGGGATTCAAATCAAATTTTACACAAATGAAATTGTGTATCATAACGGT GluTyrProAlaTrpAspSerAsnGlnIleTyrThrAsnGluIleValTyrHisAsnGly
1141	${\tt CAGTTATGGCAAGCGAAATGGTGGACACAAAATCAAGAGCCAGGTGACCCATACGGTCCGGILeuTrpGlnAlaLysTrpTrpThrGlnAsnGlnGluProGlyAspProTyrGlyPro}$
1201	${\tt TGGGAACCACTCAAATCTGACCCAGATTCAGGAGAACCGGATCCAACGCCCCCAAGTGAT\\ {\tt TrpGluProLeuLysSerAspProAspSerGlyGluProAspProThrProProSerAsp}$
1261	CCAGGAGAGTATCCAGCATGGGATTCAAATCAAATTTTACACAAATGAAATTGTGTACCAT ProGlyGluTyrProAlaTrpAspSerAsnGlnIleTyrThrAsnGluIleValTyrHis
1321	$\label{local_local} $
1381	${\tt GGTCCGTGGGAACCACTCAATTAAACTATATAATTGATAAAAATTTACTAATGAGATAGT\\ {\tt GlyProTrpGluProLeuAsnEnd}\\$
1441	$\underline{GAGAATCCCAAGAGTC}TAAATTT\underline{GAAGATTGGCATTCTC}ATTTTACAATTAATTTAATCC$
1501	${\tt ATTGAAAATATTTAAAAACGAATTTTATAATATCCAAGGTACCATACTTAATTGGCGGTA}$
1561	$\tt CTTTTTTCTGTCCTTATAGCTGCCCATCCCCCGAAAAAGCGGTCGAAAACTGGTGCATT$
1621	${\tt TTTCAGCATTATCTTGTAAATATCAAAACATAAGAAAAAGCCTTGAAACATTGATATGAC}$
1681	${\tt AACGTTTCTAAGGCTTTTCTGCATTTCTTATTCAGTGTATGCCAATTAACGAGAGTACCA}$
1741	${\tt CTCAACGATAAGTTGTTCGTTAATTTCAGCTGGAAGCTCAGAACGCTCAGGTAAACGAGT}$
1801	GAACGTACCTTCAAGCTT

FIG._3B

APPROVED O.G. FIG. CLASS SUBCLASS WO 96/34092 DRAFTSMAN

E / 7

	377
-630	GAATTCTTTGGATCATGAAGGCGAA
-600	${\tt TCATGAGCATTGCCCTTGCGACGATTACGGCTTCTGTCGGCGTCTACTTGCTTG$
-540	${\tt CGGTTCAAGGTTGGTTTGCAGGTAAAGCTGCATTAACTGTTGTTCGTTTACTTCTCATTGGTTGG$
-480	${\tt TCGCTGCTGTTTGTCTTATTCATTCAAATTGGGTGTATGACTTTGTCGCCCTCGGNATCGGGTGTATGACTGAC$
-420	$\tt CGGGTATCGCCATTATNCTTCAAAGAACAGTTATTAACAGACGCCATGGGTTCCAAGGCCATGGGTTCAAGGCAAGGCAAGGCCAAGGCAAGGCAAGGCAAGGCCAAGGAAGGAAAGGAAGAA$
-360	${\tt AGTACAGTTTAAAACGAGAGATTTAAGAGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTAAGAGGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTAAGAGGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTAAGAGGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTTAAGAGGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTTAAGAGGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTTAAGAGGGCCGCTCCCAATGAGGGAGTGGTCTTTTTTTT$
-300	CATTCNAAAAAGAGGAAAATAGGAGAAATGTAGATCCGACGTAGATAAGTATTAGGTTT
-240	AAGTGTAAGTACAGCTAAGAAAGCTGCTTTTGCTGATTCTATGAAAAAGTGCTTGTTAA
-180	CATTTTGACATGATTTTCTGTGAAATAAATGATCTATTTTCTGTGAAACAATTGTGATA
-120	${\tt ATTGGTGTAGAGTTTTGATAATTCTAAATTTTCGTTCAAAAGGAGGTTGAGGTTCATTTAGAGGTTCATTTAGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTCATTTAGAGGTGAGGTTGAGGGTTCATTTAGAGGTGAGGTTGAGGGGTTGAGGGGTTGAGGGTTGAGGGGTTGAGGGTTGAGGGGTTGAGGGTTGAGGGGTTGAGGGGTTGAGGGGTTGAGGGTTGAGGGTTGAGGGGTTGAGGGGTTGAGGGGTTGAGGGGTTGAGGGGTTGAGGGGTTGAGGGTTGAGGGTTGAGGGGGTTGAGGGGTTGAGGGGTTGAGGGGTTGAGGGGGTTGAGGGGTTGAGGGGGTTGAGGGGTTGAGGGGGTTGAGGGGGTTGAGGGGGTTGAGGGGGG$
-60	$\tt CGATTTTGTCAACAGTCAATTGTTGTTTCCGGGTAACTCATTTGGAGGTGGTGGAGTCTGGAGGTGGAGGTCTGGAGGA$
1	ATGAAGTGGATGAAATCCATGGTATGGTTGGCCGTTGTTTTGGTCGTTTCGTTAGCTMetLysTrpMetLysSerMetValTrpLeuAlaValValLeuValValSerPheValAl
61	CCTGCCGTTAGTTCAGCTAATGAGGATGTAAAAACTCTCGATATTCAGTCCTATGTAAG ProAlaValSerSerAlaAsnGluAspValLysThrLeuAspIleGlnSerTyrValArg
121	$\label{eq:Gacage} GACATGCAGCCGGGTTGGAATCTTGGGGAATACGTTTGATGCCGTCGGACAAGATGAAACAAGATGAAACAAGATGAAAACAAGATGAAAACAAGATGAAAACAAGAAGATGAAAACAAAAAAAA$
181	${\tt GCATGGGGAAATCCACGTGTGACACGAGAATTAATTGAACGGATTGCGGATGAAGGGTAAAATCACACACA$
241	${\tt AAAAGCATTCGGATTCCGGTGACGTGGGAAAATCGTATCGGAGGGGCACCTGATTATCCLLysSerIleArgIleProValThrTrpGluAsnArgIleGlyGlyAlaProAspTyrProperty and the statement of the sta$
301	${\tt ATTGATCCCCAGTTTTTAAATCGAGTGGACGAAGTTGTTCAATGGGCGCTGGAAGAAGACILeAspProGlnPheLeuAsnArgValAspGluValValGlnTrpAlaLeuGluGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluValValGlnTrpAlaLeuGluGluAspGluGluGluAspGluGluGluAspGluGluGluAspGluGluGluAspGluGluGluAspGluGluGluGluGluGluGluGluGluGluGluGluGluG$
361	${\tt TTGTATGTCATGATTTACTTTACACCATGATTCATGGTTATGGATTTATGAAATGGAGCACLEUTyrValMetIleAsnLeuHisHisAspSerTrpLeuTrpIleTyrGluMetGluHicAlgardardardardardardardardardardardardarda$
421	AACTACAACGGTGTGATGGCCAAGTATCGCTCGCTCTGGGAGCAACTATCGAACCACTTCASnTyrAsnGlyValMetAlaLysTyrArgSerLeuTrpGluGlnLeuSerAsnHisPho
481	${\tt AAAGACTATCCAACAAAGCTTATGTTTGAAAGTGTCAATGAGCCAAAGTTTAGTCAAAACLysAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAsnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAsnGluProLysPheSerGlnAscAspTyrProThrLysLeuMetPheGluSerValAscA$
541	${\tt TGGGGTGAGATCCGTGAGAATCACCATGCGTTACTAGACGACTTAAACACAGTGTTTTTTTCGLyGluIleArgGluAsnHisHisAlaLeuLeuAspAspLeuAsnThrValPhePhotogluAsnAspAspLeuAsnThrValPhePhotogluAsnAspAspLeuAsnThrValPhePhotogluAspAspLeuAsnThrValPhePhotogluAspAspLeuAsnThrValPhePhotogluAspAspLeuAspAspAspLeuAspAspAspLeuAspAspAspLeuAspAspAspAspAspAspAspAspAspAspAspAspAspA$
601	${\tt GAGATTGTGAGACAGTCTGGTGGCCAAAATGATATCCGGCCGTTAGTGTTACCGACTATCGLUTLeValargGlnserGlyGlyGlnAsnAspIleArgProLeuValLeuProThrMeter State of the control of the $

661 GAAACAGCCACATCACAACCGTTGCTGAACAACCTTTATCAAACAATTGACAAATTGGAT FIG._4A

GluThrAlaThrSerGlnProLeuLeuAsnAsnLeuTyrGlnThrIleAspLysLeuAsp

BY CLASS SUBCLASS
ORAFTSMAN WO 96/34092

SANTE

6/7

- 721 GATCCGAATCTAATTGCGACAGTACACTATTACGGGTTTTTGCCCTTTTAGCGTGAATATC AspProAsnLeuIleAlathrValHisTyrTyrGlyPheTrpProPheSerValAsnIle
- 781 GCCGGCTACACTCGCTTTGAAGAGGATTCGAAACGGGAGATCATCGAAACGTTTGATCGA AlaGlyTyTThrArgPheGluGluAspSerLysArgGluIleIleGluThrPheAspArg
- 901 GGATTTGATAAACATACTGGAGTGATTCAACAAGGTGAAAAGCTAAAATTCTTTGAGTAT GlyPheAspLysHisThrGlyVallleGlnGlnGlyGluLysLeuLysPhePheGluTyr
- 961 CTCATCCATCATTTGAACGAGCGGGATATTACTCATATGCTTTTGGGATAATGGGCAGCAT LeuIleHisHisLeuAsnGluArgAspIleThrHisMetLeuTrpAspAsnGlyGlnHis
- 1021 TTCAATCGTCATACGTACGAATGGTATGACGAGGAATTGTTTGACATGTTGCGGGCAAGC PheAsnArgHisThrTyrGluTrpTyrAspGluGluLeuPheAspMetLeuArgAlaSer
- 1081 TGGGGAGGAAGATCATCCGTTGCAGAGTCGAACTTTATCTATTTAAAACAGGGAGACCGA
 TTpGlyGlyArgSerSerValAlaGluSerAsnPheIleTyrLeuLysGlnGlyAspArg
- 1141 ATCGCAGATGCAACAGTTACATTACAATTGCACGGAAATGAATTAACAGGGCTTCAGGCG
 IleAlaAspAlaThrValThrLeuGlnLeuHisGlyAsnGluLeuThrGlyLeuGlnAla
- 1201 AATGGACAACGACTAACGCCGGGGCAGGACTATGAGTTAAATGGAGAAAGACTTACAGTG
 AssGlyGlnArgLeuThrProGlyGlnAspTyrGluLeuAssGlyGluArgLeuThrVal
- 1261 AAGGCCCATGTCCTATCGCCAATCGCAGGTTCAGGTACGTTAGGTACGAATGGAATGGTA LysalamisvalleuSeralaileAlaGlySerGlyThrLeuGlyThrAsnGlyMetVal
- 1321 ACGGCTGAGTTTAATCGTGGGGCAGATTGGCATTTTCGGGTGAATACGTATCGTACGCCT ThrAlaGluPheAsnArgGlyAlaAspTrpHisPheArgValAsnThrTyrArgThrPro
- 1381 GTATTGCAAAGCACGCAAGGTCACGTGAGCAACTTCAGCATTCCTGCTTCCTTTAATGGG ValLeuGlnSerThrGlnGlyHisValSerAsnPheSerIleProAlaSerPheAsnGly
- 1441 AATAGCTTAGCAACAATGGAGGCTGTCTATGTGGATGGCGGAAATGCTGGCCCGCAAGAC AsnSerLeuAlaThrMetGluAlaValTyrValAspGlyGlyAsnAlaGlyFroGlnAsp
- 1501 TGGACCTCCTTTAAGGAGTTTGGCTATGCCTTCTCTCTTCTTATGATACACATGAGATT TTpThrSerPheLysGluPheGlyTyrAlaPheSerProSerTyrAspThrHisGluIle
- 1561 AAACTGACCGAGGCGTTTTTTCGTGAGGTGCGGGATGGTGAAGTTCGGTTAACCTTCCAT LysLeuThrGluAlaPhePheArgGluValArgAspGlyGluValArgLeuThrPheHis
- 1621 TTTTGGAGTGGTGAAATAGTCAACTATACGATTAATAAAACGGGAACCAGGTGACTGGG PheTrpSerGlyGlulleVallasnTyrThrileIleLysAsnGlyAsnGlnValThrGly
- 1681 ATAGCAGCTCAGACAACCAATTCAAAAAACAAAAATAAAAAATGAAATTGAAAGCGCTTT
 IleAlaAlaGlnThrThrAsnSerLysAsnLysAsnLysLysEnd
- 1741 CTATGGTGTTGCCCGAATATCTGAGGTTCTTTAGTAGAATCCGATATTCGGGTTTTTTCA
- 1801 TACATTATAGGGGCGCTTTTTTATGTTGCGCAGGTTAAATGGTCTTACGTATGGGAACCC
- 1861 TACTACTAGATTATTGTGCACTCTTTTTGAGTACCATTATCACCGCCCTATCATATGTAT

FIG._4B

7/7

- 1921 ATGAGTTGAACCATCTAGTAACCTCTCTTAAAATTGGTAAAGGAAATGTAACGTTGTGAT
- 2041 AGTAAGGAAATGGTATGATGGAGAGAGACGTGTGATCGAGAAATGGAGGAACGCAGAATG
- 2101 AATGAAACGATGCAACGCATCGCGAGAGTCATAGAGAATGTGGAACGAGTGGCCGCCGGG
- 2161 AAACGTCAGGAAATCGAGCTGAGCCTTGTCGCATTATTTGCTAGCGG

FIG._4C

100	al.
The same	Ó
	Ġ
2	-22
	1
2	1
	4
į,	5
1	
40.00	4
1,000	13
STATE OF	ý
	9
	Seek street
	e.

#4

PTO/SB/01 (6-95) Approved for use through: 10/31/98 OMB 0651-0032

Type a plus sign (+) inside this bo	×- 🗆		Approve Patent and Trademark	office; U.S. DE	PARTMENT	OF COMMERCE					
0010/PTO Rev 6/95	U.S. Department of Commerce Patent and Trademark Office	Attor	ney Docket iber	H 1920 PCT	7/US						
DECLARAT		First	Named ntor	Lenting, Hermanus Bernardus Maria							
UTILITY OF			COMPLETE IF KNOWN								
PATENT APP	PLICATION	Арр	lication Number	08/945,	574						
		Filin	g Date								
Declaration Of		Gro	up Art Unit								
Submitted with Initial Filing	Submitted after Initial Filing	Exa	miner Name								
My residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first and pole inventor (if noy one name is listed below) or an original, first and joint inventor (if plural names are listed below) or the subject matter which is claimed and for which a patent is sought on the invention entitled: DETERGENTS COMPRISING CELLULASES (Title of the invention)											
the specification of which is attached hereto OR W was filed on (MM/DD/YYYY) 04//26/1996 as United States Application Number or PCT international											
Application Number PCT/E	P96/01755 and v	vas amend	ed on (MM/DD/YYYY)			(if applicable).					
I hereby state that I have reviewed and amendment specifically referred to about I acknowledge the duty to disclose info	ove.										
I hereby claim foreign pnority benefits ur certificate, or §365(a) of any PCT Internand have also identified below, by check having a filing date before that of the app	ational application which designated ting the box, any foreign application fo	at least one	country other than the United	States of America,	isted below						
Prior Foreign Application Number(s)	Country		gn Filing Date W/DD/YYYY	Priority Not Claimed	Certified Co YES	opy Attached? NO					
95201115.3 614,115	Europe US	04/28/1 03/12/1				X					
Additional foreign applicat	ion numbers are listed on a su	pplement	al priority sheet attach	ed hereto:	tion(s) listed	below					
I hereby claim the benefit under Application Number(s)	Filing Date (MM/DD/YY		r any United States pr	Additional provi		Delow.					
Application reminer(a)	g Sac (min SD)	,		application num are listed on a supplemental p sheet attached	riority						

Burden Hour Statement: This form is estimated to take 4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patient and Trademant Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THE ADDRESS. SEND TO. Assent Commissioner for Patients, Washington, DC 20231.

DECLARATION

|--|

2

Thereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, whiched States Code List achievedege the duty to disclose information which is material to patentiability as defined in Title 37, Code of Federal Regulations §1.56 which became available between

trior United States of PC 1 International application luty to disclose information which is material to pate the filing date of the prior application and the national	at or PCT international fi	ling date of this application.						
U.S. Parent Application Po	CT Parent Number	Parent Filing Date (MM/DD/YYYY)	tent Number					
PCT/EP		04/26/1996						
Additional U.S. or PCT international application								
As a named inventor, I hereby appoint the following rademark Office connected therewith:	attorney(s) and/or agen	(s) to prosecute this application and	to transact all busine	ss in the Palent and				
Firm Name		Customer www	-					
OR X List Attorney(s) and/or agent(s) name an	d registration number	below:						
Name	Registration Number		Name	Registration Number				
Ernest G. Szoke Wayne C. Jaeschke Real J. Grandmaison Norvell E. Wisdom, Jr.	22,135 21,062 25,981 30,510	John E. Drach 32,891 Martin G. Meder 34,674 Glenn E. J. Murphy 33,539						
Additional attorney(s) and/or agent(s) na	med on a supplement	al sheet attached hereto.						
Please direct all correspondence Cust Num	tomer or label			correspondence ess below				
Name Glenn E. J. Murphy								
Address Henkel Corporation Address 140 Germantown Pike, S	uite 150							
City Plymouth Meeting.	4112	State PA_		ZIP 19462				
Country USA	Telephone	610-832-2228		510-941-6067				
hereby declare that all statements made here believed to be true; and further that these state punishable by fine or imprisonment, or both, ur statements may jeopardize the validity of the ar	ments were made wit nder Section 1001 of	h the knowledge that willful false Title 18 of the United States Cod	statements and the	like so made are				
Name of Sole or First Inventor:			nas been filed for th	is unsigned				
Given Hermanus Bernardus Name Maria	Middle Initial	Family Lenting		Suffix e.g. Jr.				
Inventor's Signature	(I-lema	Lenbing)	Date Februa	ry 6, 1998				
Residence: City VT Pijnacker	State	Country The Netherland	Citizenship	The Netherlands				
Post Office Address Hunze 5								
Post Office Address Hunze 5 Post Office Address								
	e Zip	Country The Netherland	Applicant Authority					
Post Office Address		Netherland	ls Authority	04				

Time a plu	o cian (+) inc	side this box →								H	1920	PCT/L
Type a pig:	s sign (+/ ma	DECL	ARAT	ION				ADDITIO Supp	NAL IN lemen	VENTOR	(S)	
Name of	f Additiona	I Joint Inven	tor, if any		Па	petition	has been fil	ed for	this unsig	gned in	ventor	
Rudolf Franciscus Middle Initial							Family Name	Van Beckl	oven		Suffix e.g. Jr.	
						.) Com	elista	unven n	Dat	Febru	ary 6.	1998
Residence		Breda		Stal	te		Country	The Netherland	ts	Citizenship		erlands
Post Office	e Address	Hofwijkstraat	69									
Post Office	e Address											
City	4334 EK Br	eda	State		Zip		Country	The Netherland	ds	Applicant Authority		
Name o	f Addition	al Joint Inven	tor, if any	r:		□ A	petition	has been fi	led for	this unsi		ventor
Given Name	Karl-H	einz	1	Midd			Family Name	Maurer			Suffix e.g. Jr.	
Inventor's Signature		Zost.	de'	w s		Min	e -	7	Date	Februa	ry 6,-	1958
Residence		krath		Sta	te		Country	Germany		Citizenship	Germ	any
Post Offic		Dechenstr. 5										
Post Office Address							0	10		Anniinant		
City	40699 Erkra	ath	State		Zip		Country	Germany		Applicant Authority		
Name o	of Addition	al Joint Inver	tor, if an	/ :			petition	has been fi	led for	this unsi		vento
Given Name	Beatri	x		Midd			Family Name	Kottwitz			Suffix e.g. Jr.	
Inventor's Signature		Bealsi	x 70	di ri	ile		!		Date	Febru	ary 6.	1998
Residence		esseldorf		Sta	ite		Country	Germany		Citizenship	Germ	any
	e Address	Urdenbache	r Allee 51									
	e Address	L						10		Tanningnt		
City	40593 Dues	sseldorf	State		Zip		Country	Germany		Applicant Authority		
Name o	of Addition	al Joint Inver	ntor, if an	y:	<u> </u>	A		has been f	iled for	this unsi		vento
Given Name	Albred	ht		Midd			Family Name	Weiss			Suffix e.g. Jr.	
Inventor's Signature		. (٥ر	$\overline{}$		-	Date	Febru		1998		
Danidana		ngenfeld		Sta	ate		Country	Germany		Citizenship	1 Gérn	nany
		Forellenweg	37									
Post Offic												
Post Offic	ce Address		State		Zip		Country	Germany		Applicant		

over

T		olen (+) in	side this box →									H	19201	PCT/US	<u>:</u>
·	pius	SIGIT (+) III	DECLA	RAT	ION					ADDITIO Supp	NAL IN	VENTOR tal Sheet	k(S)		
Nam	e of	Addition	al Joint Invent	or, if any	:			A petitio	n h	as been fil	ed for	this unsig	gned inv	ventor	7
Given Name		Pieter			Mide			Family Name	1	Van Soling	jen		Suffix e.g. Jr.]
Inver	tor	di	etu va	n Vi	oli	nf	en				Date	Fabr	uary b	1998	
Resid	ence:	City V	Z Naaldwijk		Sta	ate/		Coun	try	The Netherland		Citizenship		erlands	NL
Post 0	Office	Address	Rossini 16												_
Post 0	Office	Address													
City	2	671 VZ Na	aldwijk	State		Zip		Coun	try	The Netherland		Applicant Authority			4
Nam	e of	Addition	al Joint Invent	or, if any	r:			A petiti	on h	nas been fi	led for	this unsi		ventor	4
Given Name					Mid Initia			Family Name					Suffix e.g. Jr.		_
Invent											Date				-
Resid	ence:	City			St	ate		Cour	itry			Citizenship]
Post 0	Office	Address													
Post (Office	Address													
City				State		Zip		Cour	itry			Applicant Authority			
Nam	e of	Addition	al Joint Invent	or, if any	<i>/</i> :			A petiti	on h	nas been fi	led for	this unsi	gned in	ventor	
Given Name					Mid Initi			Family Name					Suffix e.g. Jr.		
Invent Signa											Date				
Resid	ence:	City			St	ate		Cour	ntry			Citizenship			4
Post	Office	Address													
Post	Office	Address													1
City				State		Zip		Cour	ntry			Applicant Authority			
Nam	e of	Addition	al Joint Invent	tor, if any	y:			A petiti	on l	has been fi	led for	this unsi	gned in	ventor	
Giver					Mid			Family Name	T				Suffix e.g. Jr.		
Inven Signa											Date				
Resid	ence:	City			St	tate		Cou	ntry			Citizenship			4
Post	Office	Address													
Post	Office	Address							_						┙
City	T			State		Zip		Cou	ntry			Applicant Authority			┚
] A	dditional i	nventors are be	ing name	d on s	upple	mental s	sheet(s)	atta	ached hereto	•				╛

"Common Maril" mailing label number	TRR113634OYUS	Date of Denosit	October 28, 1997	

PTO/SB/01 (6-95)
Approved for use through: 10/31/98 OMB 0651-0032

Type a plus sign (+) inside this be	x - 🗆		Patent and Trademark	Office; U.S. DE	PARTMENT OF COMMERCI						
0010/PTO Rev 6/95	U.S. Department of Commerce Patent and Trademark Office	Attor	rney Docket iber	H 1920 PCT/US							
DECLARA		First	Named ntor	Lenting, Hermanus Bernardus Maria							
UTILITY OF			COMPLETE IF KNOWN								
PATENT APP	PLICATION	Appl	ication Number								
Filing Date											
X Declaration O	R Declaration	Gro	up Art Unit								
Submitted with Initial Filing	Submitted after Initial Filing	Exa	miner Name								
As a below named inventor, I hereby declare that: My readence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) or the subject matter which is claimed and for which a patent is sought on the invention entitled: DETERGENTS COMPRISING CELLULASES											
the specification of which (Title of the Invention) is attached hereto OR											
X was filed on (MM/DD/YYY	n 04/26/1996		as United St	ates Application N	lumber or PCT International						
Application Number PCT/E	P96/01755 and v	was amend	ed on (MM/DD/YYYY)		(if applicable).						
amendment specifically referred to abo	Inhereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above. I acknowledge the duty to disclose information which is material to patentiability as defined in Title 37 Code of Federal Regulations, § 1.56.										
I hereby claim foreign priority benefits ur certificate, or §365(a) of any PCT intern and have also identified below, by check having a filing date before that of the app	ational application which designated ing the box, any foreign application fo	at least one	country other than the United	States of America, I	isted below						
Prior Foreign Application Number(s)	Country	Forei (Mi	gn Filing Date M/DDYYYY	Priority Not Claimed	Certified Copy Attached? YES NO						
95201115.3	Europe	04/28/1	995		X						
614,115	US	03/12/1	996								
				Н							
	on numbers are listed on a su										
I hereby claim the benefit under	Title 35, United States Code Filing Date (MM/DD/YY		r any United States pro	Additional provi							
Application Number(s)	Filing Date (WW/DD/TT	11)		application num							
				are listed on a supplemental p	riority						
				sheet attached							

Burden Hour Statement. This form is estimated to take 4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO This ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

DECLARATION

D	_
raye	-

I hereby claim designating the prior United St duty to disclos the filing date	e United St ates or PC	tates of Ameri T internationa	ca, listed al applica ateriat tr	d below and ation in the	i, insof manne itv as r	ar as the r provid	e sub led by in Titl	the fire 37. (atter of earst paragra Code of Fe	ich sph edei	or 1 me 35, Ur ral Regulation:	or unisap pited Stat	piicauon is n es Code 811	2 1 ackn	owled	iae the
U.S. Par	Parent Application PCT P				aren			Pa	rent Fil	ing	Date	F	Parent Patent Number (if applicable)			ber
	Number Number PCT/EP96/01755						,	04/26	5/1996							
Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.																
As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Tradomark Office connected therewith:																
Firm Name Customer or label]					
OR X List Attorney(s) and/or agent(s) name and registration number below:																
		Name				istratio umber	n					Name			Registration Number	
Ernest G. Szoke Wayne C. Jaeschke Real J. Grandmaison Norvell E. Wisdom, Jr.					21, 25,	1,062 Ma			nn E. Di rtin G. I enn E. J	Иe	der			34,	32,891 34,674 33,539	
Additional attorney(s) and/or agent(s) named on a supplemental sheet attached hereto.																
Please direct all correspondence Customer or label Number or label										ence						
Name	Gle	nn E. J. Mu	urphy													
Address	_	kel Corpor														
Address		Germanto		e, Suite	150				1	_				ZIP	14	9462
City		mouth Mee	ting						State PA			1 -				
Country	US					elephone 610-832-2228 own knowledge are true and that all statements m						Fax 610-941-6067				
believed to b	e true; an	d further tha	t these	statement th, under S	s were Section	e made n 1001	of Tr	the ki tle 18	nowledge of the U	tha nite	at willful false	statem	ents and the	e like so	mad	e are
		First Inver			П					蔰	A petition	has bee	n filed for th	nis unsig	ned	
Given Name	Herm Maria	anus Ber	nardu	is	Mid				Family Name	L	enting.			Suffix e.g. J		
Inventor's Signature												Date				
Residence:	City V	T Pijnacker			St	ate			Country	,	The Netherland	ds	Citizenship		nerla	ınds
Post Office	Address	Hunze 5														
Post Office	Address															
City 2	641 VT P	ijnacker		State		Zip			Country	y	The Netherland	ds	Applicant Authority			
- As		nvontore a	re bein	a named	on s	unnler	ment	al sh	eet(s) at	ttac	ched hereto	,				

Time or	duc ci	an (+) ii	neide this hov	- F	1								F	l 1920 l	PCT/U	
Type a plus sign (+) inside this box - DECLARATIO										ADDITIONAL INVENTOR(S) Supplemental Sheet						
Name	Name of Additional Joint Inventor, if ar						☐ A pef			ition has been filed for this unsigned inventor						
Given Rudolf Franciscus Name Wilhelmus Cornelis						Midd	liddle Fam nitial Nam		Van Beckhoven		oven		Suffix e.g. Jr.			
Inventor									-			Dat				
Resider	ice: Ci	ity E	K Breda	-		Sta	ite		Co	untry	The Netherland	ls	Citizenship		rlands	
Post Of	fice A	ddress	Hofwijks	traat 69												
Post Of													- e I			
City	433	34 EK E	Breda	Sta	te		Zip		Co	untry	The Netherland	is	Applicant Authority			
Name	of A	dditio	nal Joint In	ventor, it	any					$\overline{}$	has been fil	ed for	this unsi		ventor	
Given Name		Karl-	Heinz			Mide			Fan Nan		Maurer			Suffix e.g. Jr.	Į Į	
Inventor						-						Date				
Reside	Residence: City Erkrath					State			Co		Germany		Citizenship	Germany		
Post Of	fice A	ddress	Dechens	tr. 5												
Post O	ffice A	ddress														
City	40	699 Erl	crath	Sta	te		Zip		Co	ountry	Germany		Applicant Authority			
Name	of A	dditio	nal Joint In	ventor, i	any	:	Г		A pet	tition	has been fi	led for	this unsi	gned in	vento	
Given Name		Beat	rix			Mid Initi			Fan Nar		Kottwitz			Suffix e.g. Jr.		
Invento Signatu												Date				
Reside		,	Duesseldorf			St	ate		C	ountry	Germany		Citizenship	Germ	any	
		ddress		icher Allee	51											
		ddress					Zip		To	ountry	Germany		Applicant			
City			esseldorf		ate		ZIP			Jurio y	Germany		Authority			
Name	e of A	Additio	nal Joint Ir	nventor, i	fany		<u> L</u>				has been f	led fo	this uns		vento	
Given Name		Albr	echt			Mid			Far Na		Weiss			Suffix e.g. Jr.		
Invento												Date				
Reside			Langenfeld			St	ate		c	ountry	Germany		Citizenship	Gern	any	
		Address		weg 37												
		Address											Aunline=4			
City	40	7041	ngenfeld	1 0	ate		Zip	1		ountry	/ Germany		Applicant			

Time a	nlue e	sian (+) in	side this hox →									H	1 1920	PCT/US	
Type a plus sign (+) inside this box → DECLARATION									ADDITIONAL INVENTOR(S) Supplemental Sheet						
Name	of A	Addition	al Joint Invent	or, if any	y:	П		petitio	n h	as been file	ed for	this unsig	ned inv	entor	
Given Name		Pieter			Mid			Family Name	1	/an Soling					
Invent	or										Date				
Residence: City VZ Naaldwijk				St	ate		Country		The Netherlands		Citizenship The Nethe		rlands		
Post Of	fice /	Address	Rossini 16												
Post Of	fice /	Address													
City	26	71 VZ Na	aldwijk	State		Zip		Countr	y	The Netherland		Applicant Authority			
Name	of /	Addition	al Joint Invent	or, if an	y:			A petitio	n h	as been fil	ed for	this unsi	ned in	ventor	
Given Name					Mid			Family Name					Suffix e.g. Jr.		
Invento Signatu											Date				
Reside	nce: (City			St	ate		Count	ry			Citizenship			
Post O	ffice /	Address													
Post O	fice	Address													
City				State		Zip		Count	ry			Applicant Authority			
Name	of	Addition	al Joint Invent	or, if an	y:			A petitio	n h	nas been fil	ed for	this unsi	gned in	ventor	
Given Name					Mid			Family Name					Suffix e.g. Jr.		
Invento Signatu											Date				
Reside	nce:	City			St	ate		Count	ry			Citizenship			
Post O	ffice	Address													
Post O	ffice	Address													
City				State		Zip		Count	ry			Applicant Authority			
Name	of a	Addition	al Joint Invent	or, if an	y:			A petitio	n t	nas been fil	ed for	this unsi		ventor	
Given Name					Mid			Family Name	L				Suffix e.g. Jr.		
Invento Signatu											Date				
Residence: City			SI	ate		Count	ry			Citizenship					
Post O	ffice	Address													
Post O	ffice	Address													
City	Γ			State		Zip		Count	ry			Applicant			

Additional inventors are being named on supplemental sheet(s) attached hereto

The Park of the Pa

U.S. Application No. (If k CFR1.30)	nown see	PCT/EP96/01	L APPLICATION NO. 755	ATTORNEY'S DOCKET NUMBER H 1920 PCT/US							
Basic Nationa	17. ■ The following fees are submitted: Basic National Fee (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO										
International prelim											
No international pre international search											
Neither international international search											
International prelim and all claims satis											
ENTER APP	ROPRIATE BASIC	FEE AMOUNT	=	\$	930	00					
Surcharge of \$130.00 for furnismonths from the earliest claime	shing the oath or declarated priority date 37 (CFR 1	ion later than 20 .492(e)).	30	\$	0	00					
Claims	Number filed	Number Extra	Rate	ļ							
Total Claims	1 - 20 =	0	0 X \$22.00	\$	0_	00					
Independent Claims	1 - 3 =	0	0 X \$82.00	\$	0	00					
Multiple dependent claims (s)(if	f applicable)	+ \$270.00	s	0	00						
TOTAL O	\$	930	00								
Reduction by ½ for filing by sm 1:9, 1.27, 1.28).	\$	0	00								
ů .											
Processing fee of \$130.00 for f	s	0	00								
Ę.	\$	930	00								
Fee for recording the enclosed cover sheet (37 CFR 3.28, 3.3	s	0	00								
	\$	930	00								
				Amoun refunde		\$					
				charge	d	\$930.00					
a. □ A check in the amount of \$											

140 Germantown Pike, Suite 150 SIGNATURE

Glenn E. J. Murphy

REGISTRATION NUMBER

33,539

NAME ATTORNEY FOR APPLICANT

Plymouth Meeting, PA 19462

INTERNATIONAL APPLICATION NO.

ATTORNEY'S DOCKET

Form PTO 1390 (REV 5-93)